



Acoustical Surfaces, Inc.

SOUNDPROOFING, ACOUSTICS, NOISE & VIBRATION CONTROL SPECIALISTS

123 Columbia Court North • Suite 201 • Chaska, MN 55318
(952) 448-5300 • Fax (952) 448-2613 • (800) 448-0121

Email: sales@acousticalsurfaces.com
Visit our Website: www.acousticalsurfaces.com

We Identify and **S.T.O.P.** Your Noise Problems

MATERIAL SAFETY DATA SHEET

Rendered by Manufacturer and released to:

Acoustical Surfaces Inc.

123 Columbia Court North, Suite 201,
Chaska, MN 55318

Tel: 952-448-5300 Fax: 952-448-2613

Revision Date: November 3rd, 2000

SECTION 1: PRODUCT IDENTIFICATION

Product Name: VB-2MAX Damping Sheet
Material Usage: Damping Sheet

SECTION 2: COMPOSITION / INFORMATION ON INGREDIENTS

Component	CAS#
Calcium Carbonate	1317-65-3
Silica, Amorphous	7631-86-9
Silica, Quartz	14806-60-7
Talc	14807-96-6

SECTION 3: HAZARDS IDENTIFICATION

Eye Hazards: Eye contact unlikely in normal use but acts as a mechanical irritant.

Skin Hazards: Contact with hot product will cause thermal burns.

Ingestion Hazards: Not normally ingested in industrial use.

SECTION 4: FIRST AID MEASURES

Eye: In case of eye contact, flush with water, see a physician immediately if irritation develops and persists.

Skin: In accordance with good hygienic practice, wash with soap and water after use.

Ingestion: Do not induce vomiting. Get medical attention immediately.

Inhalation: Get medical attention immediately. If not breathing, give artificial respiration.

SECTION 5: FIRE FIGHTING MEASURES

Flash Point: 478 degrees F; ASTM D92 Method – 247 degrees C.

Extinguishing Media: In case of fire, use water spray (fog) Foam, dry chemical, or CO₂.

Special Fire Fighting Procedures: Firefighters should wear self-contained breathing apparatus and wear full protective gear.

Unusual Fire and Explosion Hazard: None Known.

SECTION 6: SAFE HANDLING INFORMATION

Handling/Storage Precautions: Wash thoroughly after handling. Keep out of reach of children. If accidentally release, allow to cool and pick up as a solid. Use Personal Protective Equipment.



Acoustical Surfaces, Inc.

SOUNDPROOFING, ACOUSTICS, NOISE & VIBRATION CONTROL SPECIALISTS

123 Columbia Court North • Suite 201 • Chaska, MN 55318
(952) 448-5300 • Fax (952) 448-2613 • (800) 448-0121

Email: sales@acousticalsurfaces.com
Visit our Website: www.acousticalsurfaces.com

We Identify and **S.T.O.P.** Your Noise Problems

SECTION 7: CONTROL MEASURES

Respiratory Protection: Usually not needed.

Ventilation: General and local exhaust.

Personal Protective Equipment: Eye Protection: Safety glasses required when cutting. Protective Clothing or Equipment: Usually Not Required. Work/Hygiene Practices: Good Industrial Housekeeping.

SECTION 8: REACTIVITY HAZARD DATA

Stability: Stable.

Conditions To Avoid: None Known.

Hazardous Decomposition Products: CO, CO₂.

Hazardous Polymerization: Will not occur.

Incompatibility: None Known.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Stability: Black

Appearance: Black with Aluminum Layer

Odor: No Odor

Boiling Point: N/AP °F

Melting Point: N/AP °F

Vapor Pressure: N/AP

Vapor Density: N/AP

Solubility in Water: Insoluble

Specific Gravity: 1.05 +/- .05

Molecular Weight: 0.00

Percent VOC's: 0.00

Percent Volatiles: <1

SECTION 9: REGULATORY INFORMATION

HMIS Rating: Health: 1 Fire: 1 Reactivity: 0 Personal Protection: B

END OF MSDS

Sheet VB-2MAX