



Acoustical Surfaces, Inc.

SOUNDPROOFING, ACOUSTICS, NOISE & VIBRATION CONTROL SPECIALISTS

123 Columbia Court North • Suite 201 • Chaska, MN 55318
(952) 448-5300 • Fax (952) 448-2613 • (800) 448-0121

Email: sales@acousticalsurfaces.com
Visit our Website: www.acousticalsurfaces.com

We Identify and **S.T.O.P.** Your Noise Problems

MATERIAL SAFETY DATA SHEET

Rendered by Manufacturer and released to:

Acoustical Surfaces Inc.

123 Columbia Court North, Suite 201,
Chaska, MN 55318

Tel: 952-448-5300 Fax: 952-448-2613

Revision Date: November 3rd, 1995

SECTION 1: PRODUCT IDENTIFICATION

Product Name: VB-2/VB-2HD Damping Sheet
Material Usage: Damping Sheet

SECTION 2: HAZARDOUS INGREDIENTS

Component	CAS#	OSHA PEL	ACGIH TLV
Antimony Trioxide	1309-64-3		.5 mg/m ³
Mica	12001-262	20 mppot	3 mg/m ³
Quartz	14808-60-7	.1 mg/m ³	.1 mg/m ³

SECTION 3: HEALTH HAZARD INFORMATION

Primary Routes of Entry: When heated – Inhalation, skin and Ingestion.

Health Hazards: Low order of toxicity and irritancy.

Chronic Effects: Not Determined.

Carcinogenicity: N/A

SECTION 4: FIRST AID MEASURES

Emergency and First Aid Procedure: In case of eye contact, flush with water, see a physician.

SECTION 5: FIRE AND EXPLOSION HAZARD DATA

Flash Point: 425 degrees F; Cleveland Open Cup.

Extinguishing Media: Dry Chemical, Foam or Water Spray.

Special Fire Fighting Procedures: Use water spray to cool fire exposed surfaces and to protect personnel. Do not use jet of water to burning material to avoid violent frothing.

Unusual Fire and Explosion Hazard: Fumes, Carbon Monoxide and Hydrochloric Acid.

SECTION 6: SAFE HANDLING INFORMATION

Handling/Storage Precautions: Store in cool, well-ventilated area. Keep away from flames.

Waste Disposal Method: May be swept, shoveled or vacuumed into containers for reuse or disposal, OSHA Federal, State or Local Regulations.



Acoustical Surfaces, Inc.

SOUNDPROOFING, ACOUSTICS, NOISE & VIBRATION CONTROL SPECIALISTS

123 Columbia Court North • Suite 201 • Chaska, MN 55318
(952) 448-5300 • Fax (952) 448-2613 • (800) 448-0121

Email: sales@acousticalsurfaces.com
Visit our Website: www.acousticalsurfaces.com

We Identify and S.T.O.P. Your Noise Problems

SECTION 7: CONTROL MEASURES

Respiratory Protection: Usually not needed unless fumes are excessive.

Ventilation: General and local exhaust

Personal Protective Equipment: Eye Protection: Safety glasses required when cutting. Protective Clothing or Equipment: Usually Not Required. Work/Hygiene Practices: Good Industrial Housekeeping.

SECTION 8: REACTIVITY HAZARD DATA

Stability: Stable

Conditions To Avoid: Excessive Heat.

Hazardous Decomposition Products: Carbon Monoxide, Hydrochloric acid.

Hazardous Polymerization: Will not occur.

Incompatibility: Oxidizing Agents and Strong Acids.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Stability: Black

Appearance: Vinyl Sheet

Odor: Mild Ester odor

Boiling Point: Approximately 230 Degrees C @ 5 mmHG

Melting Point: N/A

Vapor Pressure: (mmHg @ 200C): 1.3 mm

Vapor Density: (air=1.0)

Solubility in Water: No Soluble

Specific Gravity: N/A

END OF MSDS

Sheet VB-2/VB-2HD